ΑD)		

Award Number: DAMD17-02-1-0553

TITLE: Hormonal Determinants of Mammographic Density

PRINCIPAL INVESTIGATOR: Jennifer K. Simpson, R.N.

Francesmary Modugno, Ph.D. Joel L. Weissfeld, M.D. Lewis Kuller, M.D., Ph.D.

Victor Vogel, M.D.

Joseph P. Costantino, Ph.D.

CONTRACTING ORGANIZATION: University of Pittsburgh

Pittsburgh, Pennsylvania 15260

REPORT DATE: August 2004

TYPE OF REPORT: Annual Summary

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20050505 085

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE August 2004 3. REPORT TYPE AND DATES COVERED

Annual Summary (1 Aug 2003 - 31 Jul 2004)

4. TITLE AND SUBTITLE

Hormonal Determinants of Mammographic Density

5. FUNDING NUMBERS
DAMD17-02-1-0553

6. AUTHOR(S)

Jennifer K. Simpson, R.N., Francesmary Modugno, Ph.D., Joel L. Weissfeld, M.D., and Lewis Kuller,

M.D., Ph.D. Victor Vogel, M.D., Joseph P. Costantino, Ph.D.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

University of Pittsburgh

Pittsburgh, Pennsylvania 15260

8. PERFORMING ORGANIZATION REPORT NUMBER

E-Mail: jsimp@adelphia.net

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for Public Release; Distribution Unlimited

12b. DISTRIBUTION CODE

13. Abstract (Maximum 200 Words) (abstract should contain no proprietary or confidential information)

Hormone Replacement Therapy (HRT) has been shown to increase breast cancer risk as well as to increase breast density. Breast density, a reflection of the histologic composition of the breast, is one factor shown to affect mammographic sensitivity and specificity, and it is predictive of breast cancer risk. Thus, the use of HRT, through its effect on breast density, may compromise the well-established reduction in mortality gained by mammographic screening. However, not all women on HRT will experience an increase in breast density. We propose a novel hypothesis to explain in part the individual variability in breast density seen among women on HRT: differences in breast density are associated with differences in estrogen metabolism, and this association may be attenuated by individual factors such as body mass index and HRT regimen. Our work and the work of others provide compelling evidence to support this hypothesis. To date 50 cases and 180 healthy postmenopausal women have been enrolled in this study.

14. SUBJECT TERMS

epidemiology, early detection and prevention, mammographic density, hormone replacement therapy, body mass index, estrogen metabolism

18. SECURITY CLASSIFICATION

15. NUMBER OF PAGES

13

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

REPORT OF THIS PAGE
Unclassified Unclassified

19. SECURITY CLASSIFICATION OF ABSTRACT

Unclassified

20. LIMITATION OF ABSTRACT

Unlimited

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18

Table of Contents

Cover	.1
SF 298	.2
Table of Contents	.3
Introduction	.4
Body	.4
Key Research Accomplishments	.5
Reportable Outcomes	5
Conclusions	5
References6	;
Appendices	NA

Introduction

The specific objective of this proposal is to begin to understand factors associated with individual variability in breast density including HRT, BMI and estrogen metabolism. Our rationale is that by understanding factors that affect breast density, we can improve breast cancer screening as well as to identify women at an increased risk of breast cancer. We will accomplish this objective by pursuing the following specific aim: to determine the effects of serum markers of estrogen metabolism, body mass index (BMI), and hormone replacement therapy (HRT) on postmenopausal breast density. This is an observational study within an ongoing study of the relationship between HRT, estrogen metabolism and breast cancer (PA State 2777693, Modugno, PI). We will measure estrogen metabolite levels and mammographic density in a group of 300 postmenopausal women (150 HRT users, 150 non-users), and correlate metabolite levels with qualitative and quantitative measures of breast density.

Body

Work Plan: Research Proposal

We currently have recruited 230/300 of the planned participants for this proposal from the Magee-Womens Hospital system. Recruiting women currently on hormone replacement therapy (HRT) continues to be an issue as another recent Women's Health Initiative (WHI) publication revealed risks of HRT use. We continue to recruit women from the Magee-Womens Hospital system and will attempt to recruit those women still taking HRT to ensure that we have adequate representation of non-users, estrogen only, and estrogen + progesterone users. For all women recruited, blood has been processed and stored, mammographic films have been collected and a take home questionnaire was given to each subject. All data forms for women recruited to date have been entered. Upon receipt of the questionnaire, it is reviewed for any discrepancies or blanks. If needed, the subject is called for clarification. All data has been entered into the database and after the first key entry, a set of edit checks are run to identify data entry errors as well as inconsistent responses. The edit checks are then addressed and a second key entry is performed. Finally, the two data sets are compared and reconciled. To date all 230 subjects' data has been entered and cleaned. As our main concern continues to be lack of HRT use among subjects, an initial query of the database reveals approximately 30% of women were on HRT at the time of enrollment. Further analysis of the database is currently in progress.

All serum samples to date have been sent to Immuna Care for estrogen metabolism testing with blinded duplicates to check for reproducibility. Results are pending at this time. All samples were given random numbers and were placed in a randomly generated order in boxes to ensure that the processing of the samples is blinded. We continue to obtain mammographic films. To date we have 78% of the participant films. All films have been sent to Martine Salane for evaluation. Of the films that have been read utilizing Wolfe's method, 7.7% are N1, 33.1% are P1, 58.5% are P2, and 0.8% are DY.

Work Plan: Training Proposal

Once the estrogen metabolism results, mammographic reading and questionnaire data are received, abstracts will be completed. As outlined, I have attended the weekly Cancer Prevention Journal Club to discuss topics in cancer prevention, gain experience in presenting research results, and practice presentations for national meetings as well as for preparation for my defense presentation. I have also attended the annual UPCI retreat to learn about ongoing research within the university environment and those clinical grand rounds that focus on breast cancer. I applied and was accepted to the New Investigator Workshop that took place at the annual American Society of Preventative Oncology (ASPO) in March 2004. This gave me experience in presenting my research plan to a panel of experts in Epidemiology and to receive constructive criticism from well-known experts in the field of Epidemiology. Furthermore, I successfully completed my oral comprehensive exam and am now in the process of preparing my dissertation documents.

Key Research Accomplishments

- 77% of planned recruitment completed from the Magee-Womens Hospital System
- All serum samples to date have been sent for estrogen metabolism analysis
- All mammographic films received to date have been sent for breast density reading
- All data forms double key entered and reconciled
- Study remains in progress at current time

Reportable Outcomes

None to date

Conclusions

N/A – study in progress References

References

- 1. Bright RA, Morrison AS, Brisson J, Burstein NA, Sadowsky NS, Kapans DB, and Meyer JE Relationship between mammographic and histologic features of breast tissue in women with benign biopsies. Cancer, 61: 266-271, 1988.
- 2. Fisher ER, Palekar A, Kim WS, and Redmond C Histopatholy of mammographic patterns. Am J Clin Pathol, 69: 421-426, 1978.
- 3. Page DL and Winfeld AC The dense mammogram. AJR, 147: 487-489, 1986.
- 4. Wellings SR and Wolfe JN Correlative studies of the histologic and radiographic appearance of the breast parenchyma. Radiology, 129: 299-306, 1978.
- 5. Whitehouse GH and Leinster SJ The variation of breasr parenchymal patterns with age. Br J Radiology, 58: 315-318, 1985.
- 6. Whitehead J, Carlile T, Kopecky KJ, Thompson DJ, Gilbert FI, Present AJ, Threatt Krook P, and Hardaway E Mammographic parenchymal patterns. A study of the masking hypothesis of Egan and Mosteller. Cancer, 56: 1280-1286, 1985.
- 7. van Gils CH, Otten JDM, Verbeek AL, and Hendriks JH Short communications: breast parenchymal patterns and their changes with age. Br J Radiology, 68: 1133-1135, 1995.
- 8. Saftlas AF and Szklo M Mammographic parenchymal patterns and breast cancer risk. Epidemiol Rev, 9: 146-174, 1987.
- 9. Hart BL, Steinbock RT, Mettler FA, Pathak DR, and Barlow SA Age and race related changes in mammographic parenchymal patterns. Cancer, 63: 2537-2539, 1989.
- 10. Grove JS, Goodman MJ, Gilbert FI, and Mi MP Factors associated with mammographic pattern. Br J Radiology, 58: 21-25, 1985.
- 11. Brisson J, Verreault R, Morrison AS, Tennina S, and Meyer F Diet, mammographic features of breast tissue and breast cancer risk. Am J Epidemiol, 130: 14-24, 1989.
- 12. Andersoon I, Janzon L, and Pettersson H Radiographic patterns of mammary parenchyma; variations with age at examination and age at first birth. Radiology, 138: 59-62, 1981.
- 13. Krook PM Mammographic parenchymal patterns as risk indicators for incident cancer in a screening program: an extended analysis. AJR, 131: 1031-1035, 1978.
- 14. Kerlikowski K, Grady D, Barclay J, Sickels E, and Ernster V Do age, breast density, and family history affect the sensitivity of first screening mammography? JAMA, 276: 33-38, 1996.
- 15. Ma L, Fishell E, Wright B, Hanna W, Alan S, and Boyd NF Case-control study of factors associated with failure to detect cancer by mammography. J Natl Cancer Inst, 84: 781-785, 1992.
- 16. Bird RE, Wallace TW, and Yankaskas BC Analysis of cancer missed screening mammography. Radiology, 184: 613-617, 1992.
- 17. Fajardo LL, Hillman BJ, and Frey C Correlation between breast parenchymal patterns and mammographers certainty of diagnosis. Invest Radiol, 23: 505-508, 1988.
- 18. Wolfe JN The prominent duct pattern as an indicator of cancer risk. Oncology, 23: 149-158, 1969.
- 19. Wilkinson E, Clopton C, Gordonson J, Greeen R, Hill A, and Pike C Mammographic parenchymal patterns and the risk of breast cancer. J Natl Cancer Inst, *59*: 1397-1400, 1977.

- 20. Threatt B Association between mammographic parenchymal pattern classification and incidence of breast cancer. Cancer, 45: 2250-2256, 1980.
- 21. Oza AM and Boyd NF Mammographic parenchymal patterns: a marker of breast cancer risk. Epidemiol Rev, 15: 196-208, 1993.
- 22. Kato I, Beinart C, Bleich A, Su S, Kim M, and Toniolo PG A nested case control study of mammographic patterns, breast volume, and breast cancer. Cancer Causes Control, 6: 431-438, 1995.
- 23. Hainline S, Myers L, McLelland R, Newell J, Gruffeman R, and Shingleton W Mammographic pattern and risk of breast cancer. AJR, 130: 1157-1158, 1978.
- 24. Gravelle IH, Bulstrode JC, Bulbrook RD, Wang DY, Allen D, and Hayward JL A prospective study of mammographic parenchymal patterns and risk of breast cancer. Br J Radiol, 59: 487-491, 1986.
- 25. Goodwin PJ and Boyd NF Mammographic parenchymal pattern and breast cancer risk: a critical appraisal of the evidence. Am J Epidemiol, 127: 1097-1108, 1988.
- 26. Egan RL and McSweeney M Mammographic parenchymal patterns and risk of breast cancer. Radiology, 133: 65-70, 1979.
- 27. Byrne C, Schairer C, Wolf J, Parekh N, Salane M, Brinton LA, Hoover R, and Haile R Mammographic features and breast cancer risk: effects with time, age, and memopause status. J Natl Cancer Inst, 87: 1622-1629, 1995.
- 28. Byng JW, Yaffe MJ, Lockwood GA, Little LE, Tritchler DL, and Boyd NE Automated analysis of mammographic densities and breast carcinoma risk. Cancer, 80: 66-74, 1997.
- 29. Barlow SA, Pathak DR, and Merrler FA Radiographic microalification and parenchymal pattern as indicators of histologic "high risk" benign breast disease. Cancer, 66: 1721-1725, 1990.
- 30. Brisson J, Merletti F, Sadowsky NL, and et al Mammographic features of the breast and breast cancer risk. Am J Epidemiol, 115: 428-437, 1982.
- 31. Carlile T, Kopecky KJ, Thompson DJ, and et al Breast cancer prediction and the Wolfe classification of mammograms. JAMA, 254: 1050-1053, 1985.
- 32. Chaudary MA, Gravelled IH, Bulstrode JC, and et al Breast parenchymal patterns in women with bilateral, pribary breast cancer. Br J Radiol, 56: 703-706, 1983.
- 33. Ernster VI, Sacks ST, Peterson CA, and et al Mammographic parenchymal patterns and risk factors for breast cancer. Radiology, 134: 617-620, 1980.
- 34. Saftlas AF, Hoover RN, Brinton LA, Szklo M, Olson DR, Salane M, and Wolfe JN Mammographic densities and risk of breast cancer. Cancer, 67: 2833-2838, 1991.
- 35. Threatt B, Norbeck JM, Ullman NS, and et al Association between mammographic parenchymal pattern classification and incidence of breast cancer. Cancer, 45: 2550-2556, 1980.
- 36. Tabar L and Dean PB Mammographic parenchymal patterns: risk indicator for breast cancer? JAMA, 247: 185-189, 1982.
- 37. Moskovitz M, Gartside P, and McLaughlin C Mammographic patterns as markers of high-risk benign breast disease and incident cancers. Radiology, 134: 293-295, 1980.
- 38. Boyd NF, Byng JW, Jong RA, and et al Quantitative classification of mammographic densities and breast cancer risk. JNCI, 87: 670-675, 1995.
- 39. Brisson J, Morrison AS, Kopans DB, and et al Height and weight, mammographic features of breast tissue and breast cancer risk. Am J Epidemiol, 119: 371-381, 1984.

- 40. Clemons M and Goss P Mechanisms of disease: estrogen and the risk of breast cancer. N Engl J Med, 344: 276-285, 2001.
- 41. Kuller, L. and Ness, R. Oral Contraceptives and Hormone Replacement Therapy. *In* L. Kuller and R. Ness (eds.), Health and Disease Among Women, pp. 375-400. New York: Oxford University Press, 1999.
- 42. Brett KM and Madans JH Use of postmenopausal hormone replacement therapy: Estimates from a nationally representative cohort study. American Journal of Epidemiology, *145*: 536-545, 1997.
- 43. Beral V Breast cancer and hormone replacement therapy: Collaborative reanalysis of data from 51 epidemiological studies of 52,705 women with breast cancer and 108,411 women without breast cancer. Collaborative Group on Hormonal Factors in Breast Cancer. Lancet, 350: 1047-1059, 1997.
- 44. Huang and others Waist Circumference, Waist: Hip Ratio and Risk of Breast Cancer in the Nurses' Health Study. American Journal of Epidemiology, 150: 1316, 2000.
- 45. Schairer and others Menopausal estrogen and estrogen-progestin replacement therapy and breast cancer risk. JAMA, 283: 485, 2000.
- 46. Berkowitz JE, Gatewood OMB, Goldblum LE, and Gayler BW Hormonal replacement therapy: mammographic manifestations. Radiol, 174: 199-201, 1990.
- 47. Cohen MEL Effect of hormone replacement on cancer detection by mammography. Lancet, 349: 1624, 1997.
- 48. Erel CT, Seyisoglu H, Senturk ML, Akman C, Ersavasti G, Benian A, Uras C, Altug A, and Ertungealp E Mammographic changes in women on hormonal replacement therapy. Maturitas, 25: 51-57, 1996.
- 49. Laya MB, Gallagher JC, Schreiman JS, Larson EB, Watson P, and Weinstein L Effects of postmenopausal hormonal replacement therapy on mammographic density and parenchymal pattern. Radiology, 196: 433-437, 1995.
- 50. Leung W, Goldberg F, Zee B, and Sterns E Mammographic density in women on postmenopausal hormone replacement therapy. Surgery, 122: 669-673, 1997.
- 51. Marugg RC, van der Mooren MJ, Hendriks JH, Rolland R, and Ruijs SH Mammographic changes in postmenopausal women on hormonal replacement therapy. Eur Radiol, 7: 749-755, 1997.
- 52. McNicholas MM, Heneghan JP, Milner MH, Tunney T, Hourihane JB, and MacErlaine DP Pain and increased mammographic density in women receiving hormone replacement therapy: a prospective study. AJR, 163: 311-315, 1994.
- 53. Persson I, Yuen J, Bergkvist L, and Schairer C Cancer incidence and mortality in women receiving estrogen and estrogen-progestin replacement therapy. Int J Cancer, 67: 327-332, 1996.
- 54. Rand T, Heytmanek G, Seifert M, Wunderbaldinger P, Kreuzer S, Schneider B, and Wolf G Mammography in women undergoing hormone replacement therapy. Possible effects revealed at routine examination. Acta Radiolog, 38: 228-231, 1997.
- 55. Stomper PC, Van Voohis BJ, Ravnikar VA, and Meyer JE Mammograpahic changes associated with postmenopausal hormone replacement therapy: a longitudinal study. Radiology, *174*: 487-490, 1990.

- 56. Harvey JA, Pinkerton JV, and Herman CR Short-term cessation of hormone replacement therapy and improvement of mammographic specificity. J Natl Cancer Inst, 89: 1623-1625, 1997.
- 57. Peck DP and Lowman RM Estrogen and the postmenopausal breast: mammographic considerations. JAMA, 240: 1733-1735, 1978.
- 58. Sterns, E. E. and Zee, B. Mammographic density changes in perimenopausal and postmenopausal women: is effect of hormone replacement therapy predictable? [Report]. Breast Cancer Research & Treatment January., 59: II-132, 2000.
- Greendale, G. A. M., Reboussin, B. A. P., Sie, A. M., Singh, H. R. M., Olson, L. K. M., Gatewood, O. M., Bassett, L. W. M., Wasilauskas, C. R., Bush, T. P., and Barrett-Connor, E. M. Effects of Estrogen and Estrogen-Progestin on Mammographic Parenchymal Density. [Article]. Annals of Internal Medicine February.16., 130: 262-269, 1999.
- 60. Lundstrom, E., Wilczek, B., von Palffy, Z., Soderqvist, G., and von Schoultz, B. Mammographic breast density during hormone replacement therapy: Differences according to treatment. Amer J Obstet Gynecol, 181: 348-352, 1999.
- 61. Persson I, Thurfjell E, and Holmberg L Effect of estrogen and estrogen-progestin replacement regimens on mammographic breast parenchymal density. J Clin Oncol, 15: 3201-3207, 1997.
- 62. Zumoff B Biological and endocrinological insights into the possible breast cancer risk from menopausal estrogen replacement therapy. Steroids, 58: 196-204, 1993.
- 63. Seeger H, Mueck AO, and Lippert TH Effect of norethisterone acetate on estrogen metabolism in postmenopausal women. Horm Metab Res, 32: 436-439, 2000.
- 64. Colditz GA Relationship between estrogen levels, use of hormone replacement therapy, and breast cancer. Journal of the National Cancer Institute, 87: 190-197, 1998.
- 65. Ho G, Luo X, Ji C, Foo S, and Ng E Urinary 2/16α-hydroxyestrone ratio: Correlation with serum insulin-like growth factor binding protein-3 and a potential biomarker of breast cancer risk. Ann Acad Med Singapore, 27: 294-299, 1998.
- 66. Kabat GC, Chang CJ, Sparano JA, and others Urinary estrogen metabolites and breast cancer: A case-control study. Cancer Epidemiol Biomarkers Prev. 6: 505-509, 1997.
- 67. Zheng W, Dunning L, Jin F, and Holtzman J Urinary estrogen metabolites and breast cancer: A case control study. Cancer Epidemioly Biomarkers and Prevention, 6: 500-504, 1997.
- 68. Meilahn EN, DeStavola B, Allen DS, and others Do urinary estrogen metabolities predict breasrt cancer? Guernsey III cohort follow-up. British Journal of Cancer, 78: 1250-1255, 1998
- 69. Cauley J and others Estrogen metabolites and the risk of breast cancer in older women: a prospective study. Submitted, 2000.
- 70. Kuller and others Estrogen and women's Health: Interrelation of Coronary Heart Disease, Breast Cancer and Osteoporosis. Journal of Steroid Biochemistry and Molecular Biology, 74: 297-309, 2000.
- 71. Ursin G, Wilson M, Henderson BE, Kolonel LN, Monroe K, Lee HP, Seow A, Yu MC, Stanczyk FZ, Gentzschein E. (2001). Do Urinary Estrogen Metabolites Reflect the

- Differences in Breast Cancer Risk between Singapore Chinese and United States African-American and White Women? *Cancer Res* **61**:3326-3329.
- 72. Cauley JA, Zmuda JM, Klug TL, Bauer DC, Cummings SR, Kuller LH. (2001). Estrogen metabolites and the risk of hip fracture in older women: A prospective study. J Am Geriatr Soc (in press).
- 73. Fowke JH, Longcope C, Hebert JR (2001). Macronutrient intake and estrogen metabolism in healthy postmenopausal women. *Breast Cancer Res Treat* 65:1-10.
- 74. Yoo HJ, Sepkovic DW, Bradlow HL, Yu GP, Sirilian HV, Schantz SP. (2001). Estrogen metabolism as a risk factor for head and neck cancer. *Otolaryngol Head Neck Surg* 24:241-247.
- 75. Kuller LH, Matthews KA, Meilhan EN. (2000). Estrogens and women's health: Interrelation of coronary heart disease, breast cancer, and osteoporosis. *J Steroid Biochem Mol Biol* 74:297-309.
- 76. Leelawattana R, Ziambaras K, Roodman-Weiss J, Lyss C, Wagner D, Klug T, Civitelli R. (2000). The oxidative metabolism of estradiol conditions post-menopausal bone density and bone loss. *J Bone Miner Res* 15:2513-2520.
- 77. Seeger H, Mueck AO, Lippert TH. (2000). Effect of norethisterone acetate on estrogen metabolism in postmenopausal women. *Horm Metab Res* 32:436-439.
- 78. Muti P, Bradlow HL, Micheli A, Krogh V, Freudenheim JL, Schunemann HJ, Stanulla M, Yang J, Sepkovic DW, Trevisan M, Berrino F. (2000). Estrogen metabolism and risk of breast cancer: a prospective study of the 2:16alpha-hydroxyestrone ratio in premenopausal and postmenopausal women. *Epidemiology* 11:635-640.
- 79. Fowke JH, Longcope C, Hebert JR. (2000). Brassica vegetable consumption shifts estrogen metabolism in healthy postmenopausal women. *Cancer Epidemiol Biomarkers Prev* 9:773-779.
- 80. Bell MC, Crowley-Nowick P, Bradlow HL, Sepkovic DW, Schmidt-Grimminger D, Howell P, Mayeaux EJ, Tucker A, Turbat-Herrera EA, Mathis JM. (2000). Placebo-Controlled Trial of Indole-3-Carbinol in the Treatment of CIN. *Gynecol Oncol* 78:123-129.
- 81. Haggans CJ, Travelli EJ, Thomas W, Martini MC, Slavin JL. (2000). The effect of flaxseed and wheat bran consumption on urinary estrogen metabolites in premenopausal women. *Cancer Epidemiol Biomarkers Prev* 9:719-725.
- 82. Dupont E, Klug T, McCann C, Vincent D, Shons A, Teng S, Reintgen D, Cantor A, Cox C. (2000). The prognostic value of altered estrogen metabolism in breast cancer.. Abstract 53rd Annual Cancer Symposium, Society of Surgical Oncology, March 16-19, New Orleans, LA, USA. Ann Surg Oncol 7(1): Suppl.
- 83. Lu LJ, Cree M, Josyula S, Nagamani M, Grady JJ, Anderson KE. (2000). Increased urinary excretion of 2-hydroxyestrone but not 16alpha-hydroxyestrone in premenopausal women during a soya diet containing isoflavones. *Cancer Res* 60: 1299-1305.
- 84. Falk RT, Rossi SC, Fears TR, Sepkovic DW, Migella A, Adlercreutz H, Donaldson J, Bradlow HL, Ziegler RC. (2000). A new ELISA kit for measuring 2-hydroxyestrone and 16α-hydroxyestrone and their ratio: reproducibility, validity, and assay performance after freeze-thaw cycling and preservation by boric acid. *Cancer Epidemiol Biomarkers Prev* 9:81-87.

- 85. Michaud DS, Manson JE, Spieglman, Barbieri RL, Sepkovic DW, Bradlow HL, Hankinson SE. (1999). Reproducibility of plasma and urinary sex hormone levels in premenopausal women over a one-year period. *Cancer Epidemiol Biomarkers Prev* 8:1059-1064.
- 86. Martini MC, Dancisak BB, Haggans CJ, Thomas W, Slavin JL. (1999). Effects of soy intake on sex hormone metabolism in premenopausal women. *Nutr Cancer* 34:133-139.
- 87. Chen Z, Zheng W, Dunning LM, Anderson KG, Parrish RS, Holtzman JL. (1999). Within-person variability of the ratios of urinary 2-hydroxyestrone to 16alpha-hydroxyestrone in Caucasian women. *Steroids* 64:856-859.
- 88. Haggans CJ, Hutchins AM, Olson BA, Thomas W, Martini MC, Slavin JL. (1999). Effect of flaxseed consumption on urinary estrogen metabolites in postmenopausal women. *Nutr Cancer* 33:188-195.
- 89. Taioli E, Bradlow HL, Garbers SV, Sepkovic DW, Osborne MP, Trachman J, Ganguly S, Garte SJ. (1999). Role of estradiol metabolism and CYP1A1 polymorphisms in breast cancer risk. *Cancer Detect Prev* 23:232-237.
- 90. Cree M, Josyula S, Anderson KE, Nagamani M, and Lu, L-JW. (1999). Altered urinary excretion of 2-OH-estrone to 16-OH-estrone in women after soya isoflavone consumption. *Proc Amer Assoc Cancer Res* **40**:302 Abstract 2007.
- 91. Westerlind KC, Gibson KJ, Wolfe P. (1999). The effect of diurnal and menstrual cyclicity and menopausal status on estrogen metabolites:implications for disease-risk assessment. *Steroids* **64**:233-243.
- 92. Ursin G, London S, Stanczyk FZ, Gentzschein E, Paganini-Hill A, Ross RK, Pike MC. (1999). Urinary 2-hydroxyestrone/16alpha-hydroxyestrone ratio and risk of breast cancer in postmenopausal women. *J Natl Cancer Inst* 91:1067-1072.
- 93. Bradlow HL, Kabat GC. (1998). Re: "A pilot study of urinary estrogen metabolites (16alpha-OHE1 and 2-OHE1) in postmenopausal women with and without breast cancer". *Environ Health Perspectives* 106: A126-127
- 94. Auborn K, Abramson A, Bradlow HL, Sepkovic D, Mullooly V. (1998). Estrogen metabolism and laryngeal papillomatosis: a pilot study. *Anticancer Res* 18: 4569-4573.
- 95. Lippert TH, Seeger H, Mueck AO. (1998). Estradiol metabolism during oral and transdermal estradiol replacement therapy in postmenopausal women. *Horm Metab Res* 30:598-600
- 96. Meilahn EN, De Stavola B, Allen DS, Fentiman, I, Bradlow HL, Sepkovic DW, Kuller LH. (1998). Do urinary estrogen metabolites predict breast cancer? Follow up of the Guernsey III cohort. *Br J Cancer* 78:1250-1255.
- 97. Bradlow HL, Sepkovic DW, Klug T, Osborne MP. (1998). Application of an improved ELISA assay to the analysis of urinary estrogen metabolites. *Steroids* 63:406-413.
- 98. Ho GH, Luo XW, Ji CY, Foo SC, Ng GH. (1998). Using 2/16 alpha-hydroxyestrone ratio: correlation with serum insulin-like growth factor binding protein-3 and a potential biomarker of breast cancer risk. *Ann Acad Med Singapore* 27: 294-299.
- 99. Rosen CA, Woodson GE, Thompson JW, Hengesteg AP, Bradlow HL. (1998). Preliminary results of the use of indole-3-carbinol for recurrent respiratory papillomatosis. *Otolaryngol Head Neck* 118: 810-815.
- 100. Bello SM, Gentzschein E, Shoupe D, Stanczyk FZ. (1998). Effect of transdermal estradiol on the balance between urinary 2- and 16α-hydroxyestrone in postmenopausal

- women., The 80th Annual meeting of the Endocrine Society, June 24-27, 1998, New Orleans, Louisiana, Abstract P3-56.
- 101. Westerlind K, Gibson KJ, Malone P, Evans GL, Turner RT. (1998). Differential effects of estrogen metabolites on bone and reproductive tissues of ovarectomized rats *J Bone Miner Res* 13: 1021-1031.
- 102. Zheng W, Dunning L, Jin F, Holtzman J. (1998). Correspondence re: Kabat *et al.*, Urinary estrogen metabolites and breast cancer: a case-control study. Cancer Epidemiol Biomarkers Prev, 6: 505-509, 1997. Cancer Epidemiol Biomarkers Prev 7: 85-86
- 103. Holloway L, Marcus R, Klug T. (1998). Effects of hormone replacement on circulating estrogens and estrogen metabolite ratios in postmenopausal women: relationship to BMD response. *Bone* 23:S506.
- 104. Lemon HM, Rodriquez-Sierra JF. (1997). Correspondence re: differences in estrogen metabolism in healthy women. J Natl Cancer Inst 89: 1626-1627.
- 105. Wong GY, Bradlow HL, Sepkovic D, Mehl S, Mailman J, Osborne MP. (1997). Doseranging study of indole-3-carbinol for breast cancer prevention. *J Cell Biochem* Suppl 28-29: 111-116.
- 106. Leelawattana R, Ziambara K, Lyss C, Roodman-Weiss J, Wagner D, Klug T, Civitelli R. (1997). Estrogen metabolites in urine of early postmenopausal women correlate with bone density. *J Bone Miner Res* 12 [Suppl 1]:
- 107. Kabat GC, Chang CJ, Sparano JA, Sepkovic DW, Hu XP, Khalil A, Rosenblatt R, Bradlow HL. (1997). Urinary estrogen metabolites and breast cancer: a case-control study. *Cancer Epidemiol Biomarkers Prev* 6: 505-509.
- 108. Ziegler RG, Rossi SC, Fears TR, Bradlow HL, Adlercreutz H, Sepkovic DW, Kiriu P, Whala K, Vaught JB, Donaldson JL, Gail MH, Siiteri PK, Hoover RN. (1997). Quantifying estrogen metabolism: An evaluation of the reproducibility and validity of enzyme immunoassays for 2-hydroxyestrone and 16α-hydroxyestrone in urine. *Environ Health Perspect* 105: (Suppl. 3) 607-614.
- 109. Ursin G, London S, Stanczyk FZ, Gentzschein E, Paganini-Hill A, Ross RK, Pike MC. (1997). A pilot study of urinary estrogen metabolites (16alpha-OHE1 and 2-OHE1) in postmenopausal women with and without breast cancer. *Environ Health Perspect* 105: (Suppl. 3) 601-605.
- 110. Kall MA, Vang O, Clausen J. (1997). Effects of dietary broccoli on human drug metabolising activity. *Cancer Lett* 114: 169-170.
- 111. Coker AL, Crane MM, Sticca RP, Sepkovic DW. (1997). Correspondence, Re: Ethnic differences in estrogen metabolism in healthy women. J Natl Cancer Inst 89: 89.
- 112. Westerlind KC, Gibson KG, Wolfe P. (1997). Diurnal and menstrual cycles of 2- and 16α-hydroxyestrones in reproductive-age women. *Proceedings Endocrine Society* 138:259.
- 113. Westerlind KC, Gibson KJ, Malone P, Evans GL, Turner RT. (1997). 16α-hydroxyestrone is a naturally produced tissue-selective estrogen agonist *Proceedings Endocrine Society* 138:548.
- 114. Bradlow HL, Sepkovic DW, Telang NT, Osborne MP. (1996). Indole-3-Carbinol: A novel approach to breast cancer prevention (see Figure 22 in text). *Ann N Y Acad Sci* 768:180-200.

- 115. Taioli E, Trachtman J, Chen X, Sepkovic DW, Bradlow HL, Toniolo P. (1996) Correlation of estradiol 2-hydroxylation and breast cancer risk in patients carrying the MSP-1 polymorphism of CyP4501A1. *Proc Annu Meet Am Assoc Cancer Res* 37: Abstract 1697.
- 116. Taioli E, Garte SJ, Trachman J, Garbers S, Sepkovic DW, Osborne MP, Mehl S, Bradlow HL. (1996). Ethnic differences in estrogen metabolism in healthy women. J Natl Cancer Inst 88: 617.
- 117. Crane MM, Sepkovic D, Robertson NR, Lopez, A, Blackhurst DW, Sticca RP, Coker AL, Fishman J, Bradlow HL. (1996). Association of estrogen urinary metabolites and breast cancer: pilot study. *Breast Cancer Res Treat* 37:68.
- 118. Kall MA, Vang O, Clausen J. (1996). Effects of dietary broccoli on human *in vivo* drug metabolizing enzymes: evaluation of caffeine, oestrone, and chlorzoxazone metabolism. *Carcinogenesis* 17: 793-799.
- 119. Pasagian-McCauley A, Meilahn EN, Bradlow HL, Sepkovic DW, Buhara AM, Simkin-Silverman L, Wing RR, Kuller LH. (1996). Urinary markers of estrogen metabolism: 2-and 16□-hydroxylation in premenopausal women. *Steroids* 61: 461-467.
- 120. Fleisher M, Sepkovic D, Bradlow HL, Schwartz MK. (1996). Estrogen metabolite ratios as biomarkers of hormonally related breast cancer risk. *Clin Chem* 42(6): A689, S261.
- 121. Chen C, Malone KE, Prunty J, Daling JR. (1996). Measurement of urinary estrogen metabolites using a monoclonal enzyme-linked immunoassay kit: assay performance and feasibility for epidemiological studies. *Cancer Epidemiol Biomarkers Prev* 5:727-732.
- 122. Luo XW, Ng EH, Foo SC, Jeyaratnam J. (1995). The ratio of urinary 2-hydroxyestrone and 16 alpha-hydroxyestrone (2/16(OHE1): a potential risk marker for breast cancer. 12th Asian Pacific Cancer Conference, Singapore, October 17-20, Abstract, p. 62.
- 123. Sepkovic DW, Bradlow HL, Ho G, Hankinson S, Gong L, Osborne MP, Fishman J. (1995). Estrogen metabolite ratios and risk assessment of hormone related cancers: Assay validation and prediction of cervical cancer risk. Ann N Y Acad Sci 768:312-316.
- 124. Hodge J, Roodman-Weiss J, Lyss C, Wagner D, Klug T, Civitelli R. (1995). Increased inactive estrogen metabolites in urine of early postmenopausal women with low bone density. *J Bone Miner Res* 10 [Suppl 1]:S444.
- 125. Klug TL, Bradlow HL, Sepkovic DW. (1994). Monoclonal antibody-based enzyme immunoassay for simultaneous quantitation of 2- and 16α-hydroxyestrone in urine. Steroids 59: 648-655.